Brain Research, 463 (1988) 407–409
Elsevier

Author Index

Abel, P.W., Han, C., Noe, B.D. and McDonald, J.K., Neuropeptide Y: vasoconstrictor effects and possible role in cerebral vasospasm after experimental subarachnoid hemorrhage, 250
Abel, P.W., see McDonald, J.K., 259
Albeck, D. and Smock, T., A mechanism for vasopressin action in the hippocampus, 394
Albus, K., see Baumfalk, U., 398
Aldskogius, H., see Fried, K., 118
Allen, C.N., see Oyama, Y., 124

Balthazart, J., see Vockel, A., 330
Barbas-Henry, H.A., see Wouterlood, F.G., 198
Barnhardt, R., see Christakos, C.N., 362
Bartrup, J.T. and Stone, T.W., Interactions of adenosine and magnesium on rat hippocampal slices, 374
Baumfalk, U. and Albus K., Phaclofen antagonizes baclofen-induced suppression of visually evoked responses in the cat's striate cortex, 398
Besson, J.M., see Rivot, J.P., 275
Bots, G.T.A.B., see Coria, F., 187
Bowe, C.M., Yu, C.H. and Waxman, S.G., Morphological changes in spinal motor neurons giving rise to long-term regenerated sciatic nerve axons, 69
Breach, T.G. and McGeer, E.G., Lamina-specific arrangement of astrocytic gliosis and senile plaques in Alzheimer's disease visual cortex, 357
Brecha, N.C., see Kruger, L., 223
Bunney, B.S., see Shepard, P.D., 380
Burde, R.M., Direct parasympathetic pathway to the eye: revisited, 158

Calogero, A.E., Gallucci, W.T., Chrousos, G.P. and Gold, P.W., Interaction between GABAergic neurotransmission and rat hypothalamic corticotropin-releasing hormone secretion in vitro, 28
Carpenter, D.O., see Oyama, Y., 124
Carstens, E., see Thurston, C.L., 1
Castaño, E.M., see Coria, F., 187
Chang, G.D. and Ramirez, V.D., A potent dopamine-releasing factor is present in high concentrations in rat adrenal gland, 385
Christakos, C.N., Cohen, M.I., See, W.R. and Barnhardt, R., Fast rhythms in the discharges of medullary inspiratory neurons, 362
Chrobak, J.J., Hanin, I., Schmechel, D.E. and Walsh, T.J., AF64A-induced working memory impairment: behavioral, neurochemical and histological correlates, 107
Chrousos, G.P., see Calogero, A.E., 28
Cohen, M.I., see Christakos, C.N., 362
Corcoran, M.E., see Weller, K.L., 390
Coria, F., Prelli, F., Castaño, E.M., Larrondo-Lilllo, M., Fernandez-Gonzalez, J., Van Duinen, S.G., Bots, G.T.A.B., Luyendijk, W., Shelanski, M.L. and Frangione, B., β-Protein deposition: a pathogenetic link between Alzheimer's disease and cerebral amyloid angiopathies, 187
Culhane, E.S., see Thurston, C.L., 1

DeLong, M.R., see Koliatsos, V.E., 133
Demediuk, P., see Faden, A.I., 63
Desborough, K.A., see Leung, L.-W.S., 148
Dixson, A.F., see Lloyd, S.A.C., 317
Drachman, D.B., see Pestronk, A., 218
Dunnett, S.B., see Welner, S.A., 192

Faden, A.I., Lemke, M. and Demediuk, P., Effects of BW755C, a mixed cyclo-oxygenase-lipoxygenase inhibitor, following traumatic spinal cord injury in rats, 63
Fernandez-Gonzalez, J., see Coria, F., 187
Ferri, S., see Spampinato, S., 100
Fowler, J.C., Modulation of neuronal excitability by endogenous adenosine in the absence of synaptic transmission, 368
Frangione, B., see Coria, F., 187
Fried, K., Aldskogius, H. and Hildebrand, C., Proportion of unmyelinated axons in rat molar and incisor tooth pulps following neonatal capsaicin treatment and/or sympathectomy, 118
Fukami, Y., The effects of NH_3 and CO_2 on the sensory ending of mammalian muscle spindles: intracellular pH as a possible mechanism, 140

Gallucci, W.T., see Calogero, A.E., 28
Gardiner, T.W., Iverson, D.A. and Rebec, G.V., Heterogeneous responses of neostriatal neurons to amphetamine in freely moving rats, 268
Geffard, M., see Nothias, F., 341
Gilbert, M.E., The NMDA-receptor antagonist, MK-801, suppresses limbic kindling and kindled seizures, 90
Gold, P.W., see Calogero, A.E., 28

Hamilton, C.A., see Yakubu, M.A., 289
Han, C., see Abel, P.W., 250
Han, C., see McDonald, J.K., 259
Hanin, I., see Chrobak, J.J., 107
Hatton, G.I., see Yang, Q.Z., 47
Higgins, W.J., see Zipser, B., 296
Hildebrand, C., see Fried, K., 118
Hori, N., see Oyama, Y., 124
Howie, C.A., see Yakubu, M.A., 289

Irons, K.P., see LaVail, J.H., 78
Iversen, S.D., see Welner, S.A., 192
Iverson, D.A., see Gardiner, T.W., 268

Jensen, K.F., see Koralek, K.-A., 346

Kennedy, W.R., see Navarro, X., 174
Killackey, H.P., see Koralek, K.-A., 346
King, W.M., see Oyama, Y., 124
Kitao, Y., see Kudo, M., 352
Koliatsos, V.E., Martin, L.J., Walker, L.C., Richardson, R.T., DeLong, M.R. and Princ, D.L., Topographic, noncollateralized basal forebrain projections to amygdala hippocampus, and anterior cingulate cortex in the rhesus monkey, 133

Kondo, S., see Tanaka, S., 163
Koralek, K.-A., Jensen, K.F. and Killackey, H.P., Evidence for two complentary patterns of thalamic input to the rat somatosensory cortex, 346
Kovács, G.L., see Sarnyai, Z., 284
Kriván, M., see Sarnyai, Z., 284
Kruger, L., Mantyh, P.W., Sternini, C., Brecha, N.C. and Mantyh, C.R., Calcitonin gene-related peptide (CGRP) in the rat central nervous system: patterns of immunoreactivity and receptor binding sites, 223
Kudo, M., Nakamura, Y., Moriizumi, T., Tokuno, H. and Kitao, Y., Bilateral projections form the medial superior olivary nucleus to the inferior colliculus in the mole (*Mogera robusta*), 352

LaVail, J.H. and Irons, K.P., Abnormal neuromuscular junctions in the lateral rectus muscle of wobbler mice, 78
Lanthier, A. and Patwardhan, V.V., In vitro steroid metabolism by rat retina, 403
Larrondo-Lillo, M., see Coria, F., 187
Leanza, G., see Spampinato, S., 100
Lemke, M., see Faden, A.I., 63
Leung, L.-W.S. and Desborough, K.A., APV, an *N*-methyl-D-aspartate receptor antagonist, blocks the hippocampal theta rhythm in behaving rats, 148
Lloyd, S.A.C. and Dixson, A.F., Effects of hypothalamic lesions upon the sexual and social behaviour of the male common marmoset (*Callithrix jacchus*), 317
Lohman, A.H.M., see Wouterlood, F.G., 198
Lopez-Garcia, C. and Martinez-Guijarro, F.J., Neurons in the medial cortex give rise to Timm-positive boutons in the cerebral cortex of lizards, 205
Luyendijk, W., see Coria, F., 187

MacLean, B., see Welner, S.A., 192
Mantyh, C.R., see Kruger, L., 223
Mantyh, P.W., see Kruger, L., 223
Martin, L.J., see Koliatsos, V.E., 133
Martinez-Guijarro, F.J., see Lopez-Garcia, C., 205
McDonald, J.K., Han, C., Noe, B.D. and Abel, P.W., High levels of NPY in rabbit cerebrospinal fluid and immunohistochemical analysis of possible sources, 259
McDonald, J.K., see Abel, P.W., 250
McGeer, E.G., see Breach, T.G., 357
Meisel, R.L. and Pfaff, D.W., Progesterone effects on sexual behavior and neuronal ultrastructure in female rats, 153
Moriizumi, T., see Kudo, M., 352
Morimoto, K., see Sato, K., 12
Mullen, D.A., see Zatz, M., 305
Murakami, F. and Song, W.-J., Climbing fibers are labelled after injection of PHA-L into the nucleus interpositus of the cat, 144

Nakamura, Y., see Kudo, M., 352
Navarro, X. and Kennedy, W.R., Effect of age on collateral reinnervation of sweat glands in the mouse, 174
Noe, B.D., see Abel, P.W., 250
Noe, B.D., see McDonald, J.K., 259
Nothias, F., Onteniente, B., Geffard, M. and Peschanski, M., Rapid growth of host afferents into fetal thalamic transplants, 341

Ogita, K. and Yoneda, Y., Temperature-dependent and -independent apparent binding activities of [^{3}H]glutathione in brain synaptic membranes, 37
Okamoto, M., see Sato, K., 12
O'Neill, J.B., see Zipser, B., 296
Onteniente, B., see Nothias, F., 341
Oyama, Y., King, W.M., Allen, C.N., Hori, N. and Carpenter, D.O., Characterization of an inward current elicited by edrophonium in physically isolated and internally perfused *Aplysia* neurons, 124

Patel, S.N., Rose, S.P.R. and Stewart, M.G., Training induced dendritic spine density changes are specifically related to memory formation processes in the chick, *Gallus domesticus*, 168
Patwardhan, V.V., see Lanthier, A., 403
Pearson, R.C.A., Taylor, N. and Snyder, S.H., Tubulin messenger RNA in situ hybridization reveals bilateral increases in hypoglossal and facial nuclei following nerve transection, 245
Pert, C.B., see Zipser, B., 296
Peschanski, M., see Nothias, F., 341
Pestronk, A. and Drachman, D.B., Motor nerve outgrowth: reduced capacity for sprouting in the terminals of longer axons, 218
Pfaff, D.W., see Meisel, R.L., 153
Pointis, D., see Rivot, J.P., 275
Prelli, F., see Coria, F., 187
Princ, D.L., see Koliatsos, V.E., 133
Pröve, E., see Vockel, A., 330

Ramirez, V.D., see Chang, G.D., 385
Rebec, G.V., see Gardiner, T.W., 268
Reid, J.L., see Yakubu, M.A., 289
Richardson, R.T., see Koliatsos, V.E., 133
Rivot, J.P., Pointis, D. and Besson, J.M., In vivo electrochemical detection of 5-hydroxyindole within the trigeminal nucleus caudalis of freely moving rats: the effect of morphine, 275
Rose, S.P.R., see Patel, S.N., 168
Ruff, M.R., see Zipser, B., 296
Rush, R.A., see Williams, R., 21
Russo, A., see Spampinato, S., 100

Salamone, J.D., see Welner, S.A., 192
Sarnyai, Z., Viski, S., Kriván, M., Szabó, G., Kovács, G.L. and Telegdy, G., Endogenous oxytocin inhibits morphine tolerance through limbic forebrain oxytocin receptors, 284
Sato, K., Morimoto, K. and Okamoto, M., Anticonvulsant action of a non-competitive antagonist of NMDA receptors (MK-801) in the kindling model of epilepsy, 12
Schmechel, D.E., see Chrobak, J.J., 107
See, W.R., see Christakos, C.N., 362
Shelanski, M.L., see Coria, F., 187
Shepard, P.D. and Bunney, B.S., Effects of apamin on the discharge properties of putative dopamine-containing neurons in vitro, 380
Smith, C.C., see Zipser, B., 296
Smock, T., see Albeck, D., 394
Snyder, S.H., see Pearson, R.C.A., 245
Song, W.-J., see Murakami, F., 144
Spampinato, S., Stanzani, S., Leanza, G., Russo, A. and Ferri, S., Role of the ventromedial hypothalamus in the regulation of adenohypophyseal immunoreactive dynorphin in the rat, 100
Stanzani, S., see Spampinato, S., 100

Sternini, C., see Kruger, L., 223
Stewart, M.G., see Patel, S.N., 168
Stone, T.W., see Bartrup, J.T., 374
Suberg, S.N., see Thurston, C.L., 1
Sukhdeo, M.V.K., see Sukhdeo, S.C., 57
Sukhdeo, S.C. and Sukhdeo, M.V.K., Immunohistochemical and electrochemical detection of serotonin in the nervous system of *Fasciola hepatica*, a parasitic flatworm, 57
Szabó, G., see Sarnyai, Z., 284

Tanaka, S., Kondo, S., Tanaka, T. and Yonemasu, Y., Long-term observation of rats after unilateral intra-amygdaloid injection of kainic acid, 163
Tanaka, T., see Tanaka, S., 163
Taylor, N., see Pearson, R.C.A., 245
Telegdy, G., see Sarnyai, Z., 284
Thurston, C.L., Culhane, E.S., Suberg, S.N., Carstens, E. and Watkins, L.R., Antinociception vs motor effects of intrathecal vasopressin as measured by four pain tests, 1
Tokuno, H., see Kudo, M., 352

Van Duinen, S.G., see Coria, F., 187
Viski, S., see Sarnyai, Z., 284
Vockel, A., Pröve, E. and Balthazart, J., Changes in the activity of testosterone-metabolizing enzymes in the brain of male and female zebra finches during the post-hatching period, 330

Walker, L.C., see Koliatsos, V.E., 133
Walsh, T.J., see Chrobak, J.J., 107
Watkins, L.R., see Thurston, C.L., 1
Waxman, S.G., see Bowe, C.M., 69
Weiss, S., Forskolin attenuates the evoked release of [^{3}H]-GABA from striatal neurons in primary culture, 182
Weller, K.L. and Corcoran, M.E., Anterior neocortical kindling in vasopressin-deficient rats, 390
Welner, S.A., Dunnett, S.B., Salamone, J.D., MacLean, B. and Iversen, S.D., Transplantation of embryonic ventral forebrain grafts to the neocortex of rats with bilateral lesions of nucleus basalis magnocellularis ameliorates a lesion-induced deficit in spatial memory, 192
Williams, R. and Rush, R.A., Electron microscopic immunocytochemical localization of nerve growth factor in developing mouse olfactory neurons, 21
Wouterlood, F.G., Barbas-Henry, H.A. and Lohman, A.H.M., Mixed-junction axon terminals on identified principal abducens motoneurons in the monitor lizard, 198

Yakubu, M.A., Hamilton, C.A., Howie, C.A. and Reid, J.L., Idazoxan and brain α_2-adrenoceptors in the rabbit, 289
Yang, Q.Z. and Hatton, G.I., Direct evidence for electrical coupling among rat supraoptic nucleus neurons, 47
Yoneda, Y., see Ogita, K., 37
Yonemasu, Y., see Tanaka, S., 163
Yu, C.H., see Bowe, C.M., 69

Zatz, M. and Mullen, D.A., Does calcium influx regulate melatonin production through the circadian pacemaker in chick pineal cells? Effects of nitrendipine, Bay K 8644, Co^{2+}, Mn^{2+}, and low external Ca^{2+}, 305
Zipser, B., Ruff, M.R., O'Neill, J.B., Smith, C.C., Higgins, W.J. and Pert, C.B., The opiate receptor: a single 110 kDa recognition molecule appears to be conserved in *Tetrahymena*, leech, and rat, 296